

	NN		MM MM MMM MMM MMMM MMM MM MM MM MM MM MM	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	GGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	\$	
MP	AAAAAA AA AA AA AA	RRRRRRRR RRRRRRRR RR RR RR RR RR RR RRRRRR					

J 1

. : * .

: *

:* : * : * : . .

:*

: *

: *

: .

:* : * : * Version 'V04-000'

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

MODULE:

DCLS COMMAND INTERPRETER, INTERNAL COMMAND SET AND ASSOCIATED MACROS.

AUTHOR:

T.J. PORTER 27-JUN-79

MODIFIED BY:

V03-006 PCG0007 Peter George 17-Jul-1983 Remove X-form of logical name commands.

PCG0006 Peter George Add CONNECT and DISCONNECT. V03-005 PCG0006 20-Jun-1983 Remove BEGIN, END, THEN, ELSE, GOSUB.

V03-004 PCG0005 Peter George 17-May-1983 Add duplicate logical name commands and SETFLUSH.

PCG0004 Peter George 10-M. Add DEFKEY, SHOWKEY, SETKEY, DELKEY. V03-003 PCG0004 10-Mar-1983

V03-002 PCG0003 PCG0003 Peter George 25-Oct-1982 Add BEGIN, END, THEN, ELSE, GOSUB, RECALL, and SETPROMPT routines.

V03-001 PCG0002 Peter George 17-Aug-1982 Add CANCEL routine.

V003 PCG0001 15-Mar-1982 Peter George Add EOJ routine.

```
16-SEP-1984 17:03:22.71 Page 2
INTIMAGES.MAR; 1
                    TMH0002 Tim Halvorsen Add SPAWN and ATTACH routines.
          V002
                                                            18-May-1981
                    TMH0001 Tim Halvorsen 05-Apr-1981 Remove obsolete INTIMAGE macro, since it is defined by all callers of INTIMAGES.
          V001
  DEFINE THE SET OF INTERNAL IMAGES
SINTIMAGES= X80
                                                  :INTERNAL IMAGE NAME INDEX
INTIMAGE
INTIMAGE
                    ALLOCATE
ASSIGN
INTIMAGE
                    CLOSE
INTIMAGE
                    CONTINUE
                    DEALLOCAT
DEASSIGN
INTIMAGE
INTIMAGE
INTIMAGE
                    DEBUG
                    DECK
INTIMAGE
INTIMAGE
INTIMAGE
                    DEPOSIT
INTIMAGE
                    DELSYM
INTIMAGE
                    EOD
                    EXAMINE
INTIMAGE
                    EXIT
INTIMAGE
INTIMAGE
INTIMAGE
                    GOTO
INTIMAGE
INTIMAGE
                    INQUIRE
INTIMAGE
                    LOGOUT
INTIMAGE
                    MCR
INTIMAGE
                    ON
INTIMAGE
                    OPEN
INTIMAGE
INTIMAGE
INTIMAGE
INTIMAGE
                    READ
                    RUN
                    SETCTLY
                    SETCEFALT
INTIMAGE
                    SETON
INTIMAGE
                    SETPROT
                    SETUIC
SETVERIFY
INTIMAGE
INTIMAGE
INTIMAGE
                    SHOWDEF
INTIMAGE
                    SHOWPROT
INTIMAGE
                    SHOUQUOTA
INTIMAGE
                    SHOWSTAT
                    SHOWS YMBL
SHOWT IME
INTIMAGE
INTIMAGE
INTIMAGE
                    SHOWTRAN
INTIMAGE
                    STOP
                    WAIT
WRITE
SPAWN
INTIMAGE
INTIMAGE
INTIMAGE
```

16-SEP-1984 17:03:22.71 Page 3

INTIMAGE

0069 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

